

Introduction to Decomposition Methods in Stochastic Optimization

V. Leclère

Séminaire IRT System'X
2017, March 23



UNIVERSITÉ
— PARIS-EST

Presentation Outline

- 1 Dealing with Uncertainty
 - Some difficulties with uncertainty
 - Stochastic Programming Modelling
 - Decomposition of 2-stage linear stochastic program
- 2 Decompositions of Multistage Stochastic Optimization
 - From deterministic to stochastic multistage optimization
 - Decompositions methods
- 3 Stochastic Dynamic Programming
 - Dynamic Programming Principle
 - Curses of Dimensionality
 - SDDP
- 4 Spatial Decomposition
 - Intuition
 - Stochastic Spatial Decomposition
 - DADP
- 5 Should I use SP or DP ?

Outline

- 1 Dealing with Uncertainty
 - Some difficulties with uncertainty
 - Stochastic Programming Modelling
 - Decomposition of 2-stage linear stochastic program
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

An optimization problem

A standard optimization problem

$$\begin{aligned} \min_{u_0} \quad & L(u_0) \\ \text{s.t.} \quad & g(u_0) \leq 0 \end{aligned}$$

An optimization problem with uncertainty

Adding uncertainty ξ in the mix

$$\begin{aligned} \min_{u_0} \quad & L(u_0, \xi) \\ \text{s.t.} \quad & g(u_0, \xi) \leq 0 \end{aligned}$$

Remarks:

- ξ is unknown. Two main way of modelling it:
 - $\xi \in \Xi$ with a known uncertainty set Ξ , and a pessimistic approach. This is the **robust optimization** approach (RO).
 - ξ is a random variable with known probability law. This is the **Stochastic Programming** approach (SP).
- Cost is not well defined.
 - RO : $\max_{\xi \in \Xi} L(u, \xi)$.
 - SP : $\mathbb{E}[L(u, \xi)]$.
- Constraints are not well defined.
 - RO : $g(u, \xi) \leq 0, \quad \forall \xi \in \Xi$.
 - SP : $g(u, \xi) \leq 0, \quad \mathbb{P} - a.s..$

An optimization problem with uncertainty

Adding uncertainty ξ in the mix

$$\begin{aligned} \min_{u_0} \quad & L(u_0, \xi) \\ \text{s.t.} \quad & g(u_0, \xi) \leq 0 \end{aligned}$$

Remarks:

- ξ is unknown. Two main way of modelling it:
 - $\xi \in \Xi$ with a known uncertainty set Ξ , and a pessimistic approach. This is the **robust optimization** approach (RO).
 - ξ is a random variable with known probability law. This is the **Stochastic Programming** approach (SP).
- Cost is not well defined.
 - RO : $\max_{\xi \in \Xi} L(u, \xi)$.
 - SP : $\mathbb{E}[L(u, \xi)]$.
- Constraints are not well defined.
 - RO : $g(u, \xi) \leq 0, \quad \forall \xi \in \Xi$.
 - SP : $g(u, \xi) \leq 0, \quad \mathbb{P} - a.s..$

An optimization problem with uncertainty

Adding uncertainty ξ in the mix

$$\begin{aligned} \min_{u_0} \quad & L(u_0, \xi) \\ \text{s.t.} \quad & g(u_0, \xi) \leq 0 \end{aligned}$$

Remarks:

- ξ is unknown. Two main way of modelling it:
 - $\xi \in \Xi$ with a known uncertainty set Ξ , and a pessimistic approach. This is the **robust optimization** approach (RO).
 - ξ is a random variable with known probability law. This is the **Stochastic Programming** approach (SP).
- Cost is not well defined.
 - RO : $\max_{\xi \in \Xi} L(u, \xi)$.
 - SP : $\mathbb{E}[L(u, \xi)]$.
- Constraints are not well defined.
 - RO : $g(u, \xi) \leq 0, \quad \forall \xi \in \Xi$.
 - SP : $g(u, \xi) \leq 0, \quad \mathbb{P} - a.s.$

Alternative cost functions

- When the cost $L(u, \xi)$ is random it might be natural to want to minimize its expectation $\mathbb{E}[L(u, \xi)]$.
- This is even justified if the same problem is solved a large number of time (Law of Large Number).
- In some cases the expectation is not really representative of your risk attitude. Lets consider two examples:
 - Are you ready to pay \$1000 to have one chance over ten to win \$10000 ?
 - You need to be at the airport in 1 hour or you miss your flight, you have the choice between two mean of transport, one of them take surely 50', the other take 40' four times out of five, and 70' one time out of five.

Alternative cost functions



Here are some cost functions you might consider

- Probability of reaching a given level of cost : $\mathbb{P}(L(u, \xi) \leq 0)$
- Value-at-Risk of costs $V@R_\alpha(L(u, \xi))$, where for any real valued random variable \mathbf{X} ,

$$V@R_\alpha(\mathbf{X}) := \inf_{t \in \mathbb{R}} \left\{ \mathbb{P}(\mathbf{X} \geq t) \leq \alpha \right\}.$$

In other word there is only a probability of α of obtaining a cost worse than $V@R_\alpha(\mathbf{X})$.

- Average Value-at-Risk of costs $AV@R_\alpha(L(u, \xi))$, which is the expected cost over the α worst outcomes.

Alternative constraints

- The natural extension of the deterministic constraint $g(u, \xi) \leq 0$ to $g(u, \xi) \leq 0 \mathbb{P} - as$ can be extremely conservative, and even often without any admissible solutions.
- For example, if u is a level of production that need to be greater than the demand. In a deterministic setting the realized demand is equal to the forecast. In a stochastic setting we add an error to the forecast. If the error is unbounded (e.g. Gaussian) no control u is admissible.

Alternative constraints



Here are a few possible constraints

- $\mathbb{E}[g(u, \xi)] \leq 0$, for quality of service like constraint.
- $\mathbb{P}(g(u, \xi) \leq 0) \geq 1 - \alpha$ for chance constraint. Chance constraint is easy to present, but might lead to misconception as nothing is said on the event where the constraint is not satisfied.
- $AV@R_\alpha(g(u, \xi)) \leq 0$

Outline

- 1 Dealing with Uncertainty
 - Some difficulties with uncertainty
 - Stochastic Programming Modelling
 - Decomposition of 2-stage linear stochastic program
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

One-Stage Problem

Assume that Ξ as a discrete distribution¹, with $\mathbb{P}(\xi = \xi_i) = p_i > 0$ for $i \in \llbracket 1, n \rrbracket$. Then, the one-stage problem

$$\begin{aligned} \min_{u_0} \quad & \mathbb{E} [L(u_0, \xi)] \\ \text{s.t.} \quad & g(u_0, \xi) \leq 0, \quad \mathbb{P} - a.s \end{aligned}$$

can be written

$$\begin{aligned} \min_{u_0} \quad & \sum_{i=1}^n p_i L(u_0, \xi_i) \\ \text{s.t.} \quad & g(u_0, \xi_i) \leq 0, \quad \forall i \in \llbracket 1, n \rrbracket. \end{aligned}$$

¹If the distribution is continuous we can sample and work on the sampled distribution, this is called the Sample Average Approximation approach with lots of guarantee and results

Recourse Variable

In most problem we can make a correction u_1 once the uncertainty is known:

$$u_0 \rightsquigarrow \xi_1 \rightsquigarrow u_1.$$

As the **recourse** control u_1 is a function of ξ it is a random variable. The **two-stage** optimization problem then reads

$$\begin{aligned} \min_{u_0} \quad & \mathbb{E} \left[L(u_0, \xi, \mathbf{u}_1) \right] \\ \text{s.t.} \quad & g(u_0, \xi, \mathbf{u}_1) \leq 0, \quad \mathbb{P} - a.s \\ & \sigma(\mathbf{u}_1) \subset \sigma(\xi) \end{aligned}$$

Two-stage Problem

The **extensive formulation** of

$$\begin{aligned} \min_{u_0, \mathbf{u}_1} \quad & \mathbb{E} \left[L(u_0, \boldsymbol{\xi}, \mathbf{u}_1) \right] \\ \text{s.t.} \quad & g(u_0, \boldsymbol{\xi}, \mathbf{u}_1) \leq 0, \quad \mathbb{P} - a.s \end{aligned}$$

is

$$\begin{aligned} \min_{u_0, \{u_1^i\}_{i \in [1, n]}} \quad & \sum_{i=1}^n p_i L(u_0, \xi_i, u_1^i) \\ \text{s.t.} \quad & g(u_0, \xi_i, u_1^i) \leq 0, \quad \forall i \in [1, n]. \end{aligned}$$

Recourse assumptions

- We say that we are in a **complete recourse** framework, if for all u_0 , and all possible outcome ξ , every control u_1 is admissible.
- We say that we are in a **relatively complete recourse** framework, if for all u_0 , and all possible outcome ξ , there exists a control u_1 that is admissible.
- For a lot of algorithm relatively complete recourse is a condition of convergence. It means that there is no **induced** constraints.

Outline

- 1 Dealing with Uncertainty
 - Some difficulties with uncertainty
 - Stochastic Programming Modelling
 - Decomposition of 2-stage linear stochastic program
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

Linear 2-stage stochastic program

Consider the following problem

$$\begin{aligned}
 \min \quad & \mathbb{E} \left[c^T x + \mathbf{q}^T \mathbf{y} \right] \\
 \text{s.t.} \quad & Ax = b, \quad x \geq 0 \\
 & \mathbf{T}x + \mathbf{W}\mathbf{y} = \mathbf{h}, \quad \mathbf{y} \geq 0, \quad \mathbb{P} - \text{a.s.} \\
 & x \in \mathbb{R}^n, \quad \sigma(\mathbf{y}) \subset \underbrace{\sigma(\mathbf{q}, \mathbf{T}, \mathbf{W}, \mathbf{h})}_{\xi}
 \end{aligned}$$

With associated Extended Formulation

$$\begin{aligned}
 \min \quad & c^T x + \sum_{i=1}^N \pi_i q_i^T y_i \\
 \text{s.t.} \quad & Ax = b, \quad x \geq 0 \\
 & T_i x + W_i y_i = h_i, \quad y_i \geq 0, \forall i
 \end{aligned}$$

Decomposition of linear 2-stage stochastic program

We rewrite the extended formulation as

$$\begin{aligned}
 \min \quad & c^T x + \theta \\
 \text{s.t.} \quad & Ax = b, \quad x \geq 0 \\
 & \theta \geq Q(x) \qquad \qquad \qquad x \in \mathbb{R}^n
 \end{aligned}$$

where $Q(x) = \sum_{i=1}^N \pi_i Q_i(x)$ with

$$\begin{aligned}
 Q_i(x) := \min_{y_i \in \mathbb{R}^m} \quad & q_i^T y_i \\
 \text{s.t.} \quad & T_i x + W_i y_i = h_i, \quad y_i \geq 0
 \end{aligned}$$

Note that $Q(x)$ is a polyhedral function of x , hence $\theta \geq Q(x)$ can be rewritten $\theta \geq \alpha_k^T x + \beta_k, \forall k$.

Obtaining cuts

Recall that

$$Q_i(x) := \min_{y_i \in \mathbb{R}^m} \quad q_i^T y_i$$

$$\text{s.t.} \quad T_i x + W_i y_i = h_i, \quad y_i \geq 0$$

can also be written (through strong duality)

$$Q_i(x) := \max_{\lambda_i \in \mathbb{R}^m} \quad \lambda_i^T (h_i - T_i x)$$

$$\text{s.t.} \quad W_i^T \lambda_i \leq q_i$$

In particular we have, for the optimal solution $\lambda_i^\#$,

$$Q_i(x) \geq \underbrace{h_i^T \lambda_i^\#}_{\beta_i^k} - \underbrace{(\lambda_i^\#)^T T_i x}_{\alpha_i^k}$$

L-shaped method

- ① We have a collection of K cuts, such that $Q(x) \geq \alpha^k x + \beta^k$.
- ② Solve the master problem, with optimal primal solution x^k .

$$\begin{aligned} \min_{Ax=b, x \geq 0} \quad & c^T x + \theta \\ \text{s.t.} \quad & \theta \geq \alpha^k x + \beta^k, \forall k = 1, \dots, K \end{aligned}$$

- ③ Solve N slave dual problems, with optimal dual solution $\lambda_i^\#$

$$\begin{aligned} \max_{\lambda_i \in \mathbb{R}^m} \quad & \lambda_i^T (h_i - T_i x^k) \\ \text{s.t.} \quad & W_i^T \lambda_i \leq q_i \end{aligned}$$



- ④ construct new cut with

$$\alpha^{K+1} := \sum_{i=1}^N -\pi_i (\lambda_i^\#)^T T_i, \quad \beta^{K+1} := \sum_{i=1}^N \pi_i h_i^T \lambda_i^\#.$$

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
 - From deterministic to stochastic multistage optimization
 - Decompositions methods
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

Managing a dam



A dam can be seen as a battery, with random inflow of free electricity to be used at the best time.

A multistage problem

Let formulate this as a mathematical problem

$$\begin{aligned}
 \min_{u_1, \dots, u_{T-1}} \quad & \sum_{t=1}^N L_t(x_t, u_t) \\
 \text{s.t.} \quad & x_{t+1} = f_t(x_t, u_t), \quad x_0 \text{ fixed} \quad t = 1, \dots, T-1 \\
 & u_t \in U_t, \quad x_t \in X_t \quad t = 1, \dots, T-1
 \end{aligned}$$

- x_t is the **state** of the system at time t (e.g. the stock of water)
- u_t is the **control** applied at time t (e.g. the water turbined)
- f_t is the **dynamic** of the system, i.e. the rule describing the evolution of the system (e.g. $f_t(x_t, u_t) = x_t - u_t + W_t$)
- U_t (resp X_t) are constraints set on the control u_t (resp the state x_t)

Open-loop VS closed-loop solution

$$\min_{u_1, \dots, u_{T-1}} \sum_{t=1}^N L_t(x_t, u_t)$$

$$s.t \quad x_{t+1} = f_t(x_t, u_t), \quad x_0 \text{ fixed} \quad t = 1, \dots, T-1$$

$$u_t \in U_t, \quad x_t \in X_t \quad t = 1, \dots, T-1$$

- An **open-loop** solution to the problem is a planning (u_1, \dots, u_{T-1}) .
- A **closed-loop** solution to the problem is a policy, i.e. a function π take into argument the current state x_t and the current time t and return a control u_t .
- In a deterministic setting a closed loop solution can be reduced to an open-loop solution.

Open-loop VS closed-loop solution

$$\min_{u_1, \dots, u_{T-1}} \sum_{t=1}^N L_t(x_t, u_t)$$

$$s.t \quad x_{t+1} = f_t(x_t, u_t), \quad x_0 \text{ fixed} \quad t = 1, \dots, T-1$$

$$u_t \in U_t, \quad x_t \in X_t \quad t = 1, \dots, T-1$$

- An **open-loop** solution to the problem is a planning (u_1, \dots, u_{T-1}) .
- A **closed-loop** solution to the problem is a policy, i.e. a function π take into argument the current state x_t and the current time t and return a control u_t .
- In a deterministic setting a closed loop solution can be reduced to an open-loop solution.


What happen with stochasticity ?

- Assume now that the dynamic is not deterministic anymore (e.g. the inflow are random).
- In this case an **open-loop** solution is a solution where you decide your production beforehand and stick to it, whatever the actual current state.
- Whereas a **closed-loop** solution will look at the current state before choosing the control.
- Even if you look for an open-loop solution, replacing the random vector by its expectation is not optimal. It can even give wrong indication.

What happen with stochasticity ?

- Assume now that the dynamic is not deterministic anymore (e.g. the inflow are random).
- In this case an **open-loop** solution is a solution where you decide your production beforehand and stick to it, whatever the actual current state.
- Whereas a **closed-loop** solution will look at the current state before choosing the control.
- Even if you look for an open-loop solution, replacing the random vector by its expectation is not optimal. It can even give wrong indication.

Where do we come from: two-stage programming



- We take decisions in two stages

$$u_0 \rightsquigarrow \xi_1 \rightsquigarrow u_1 ,$$


with u_1 : **recourse decision** .

- On a tree, it means solving the **extensive formulation**:

$$\min_{u_0, u_{1,s}} \sum_{s \in \mathcal{S}} \pi_s [\langle c_s, u_0 \rangle + \langle p_s, u_{1,s} \rangle] .$$

We have as many $u_{1,s}$ as scenarios!

Extending two-stage to multistage programming



$$\min_{\mathbf{u}} \mathbb{E}(j(\mathbf{u}, \boldsymbol{\xi}))$$

$$\mathbf{U} = (\mathbf{u}_0, \dots, \mathbf{U}_T)$$

$$\boldsymbol{\xi} = (\boldsymbol{\xi}_1, \dots, \boldsymbol{\xi}_T)$$

We take decisions in T stages

$$\boldsymbol{\xi}_0 \rightsquigarrow \mathbf{u}_0 \rightsquigarrow \boldsymbol{\xi}_1 \rightsquigarrow \mathbf{u}_1 \rightsquigarrow \dots \rightsquigarrow \boldsymbol{\xi}_T \rightsquigarrow \mathbf{u}_T .$$

Introducing the non-anticipativity constraint

We do not know what holds behind the door.

Non-anticipativity

At time t , decisions are taken sequentially, only knowing the past realizations of the perturbations.

Mathematically, this is equivalent to say that at time t , the decision \mathbf{u}_t is

- 1 a function of past noises

$$\mathbf{u}_t = \pi_t(\xi_0, \dots, \xi_t),$$


- 2 taken knowing the available information,

$$\sigma(\mathbf{u}_t) \subset \sigma(\xi_0, \dots, \xi_t).$$

Multistage extensive formulation approach

Assume that $\xi_t \in \mathbb{R}^{n_\xi}$ can take n_ξ values and that $U_t(x)$ can take n_u values.

Then, considering the extensive formulation approach, we have



- n_ξ^T scenarios.

- $(n_\xi^{T+1} - 1)/(n_\xi - 1)$ nodes in the tree.

- Number of variables in the optimization problem is roughly

$$n_u \times (n_\xi^{T+1} - 1)/(n_\xi - 1) \approx n_u n_\xi^T.$$


The complexity grows exponentially with the number of stage. :- (

A way to overcome this issue is to compress information!

Multistage extensive formulation approach

Assume that $\xi_t \in \mathbb{R}^{n_\xi}$ can take n_ξ values and that $U_t(x)$ can take n_u values.

Then, considering the extensive formulation approach, we have



- n_ξ^T scenarios.

- $(n_\xi^{T+1} - 1)/(n_\xi - 1)$ nodes in the tree.

- Number of variables in the optimization problem is roughly


$$n_u \times (n_\xi^{T+1} - 1)/(n_\xi - 1) \approx n_u n_\xi^T.$$

The complexity grows exponentially with the number of stage. :- (

A way to overcome this issue is to compress information!

From deterministic to stochastic multistage optimization

Illustrating extensive formulation with the damsvalley example



- 5 interconnected dams
- 5 controls per timesteps
- 52 timesteps (one per week, over one year)
- $n_w = 10$ noises for each timestep

We obtain 10^{52} scenarios, and $\approx 5 \cdot 10^{52}$ constraints in the extensive formulation ...
 Estimated storage capacity of the Internet:
 10^{24} bytes.


Multistage Stochastic Optimization: an Example

Objective function:

$$\mathbb{E} \left[\sum_{i=1}^N \sum_{t=0}^{T-1} L_t^i(\underbrace{\mathbf{x}_t^i}_{\text{state}}, \underbrace{\mathbf{u}_t^i}_{\text{control}}, \underbrace{\mathbf{w}_{t+1}}_{\text{noise}}) \right]$$

Constraints:

- **dynamics:**
 $\mathbf{x}_{t+1} = f_t(\mathbf{x}_t, \mathbf{u}_t, \mathbf{w}_{t+1}),$
- **nonanticipativity:**
 $\mathbf{u}_t \preceq \mathcal{F}_t,$
- **spatial coupling:**
 $\mathbf{z}_t^{i+1} = g_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}^i).$




Multistage Stochastic Optimization: an Example

Objective function:

$$\mathbb{E} \left[\sum_{i=1}^N \sum_{t=0}^{T-1} L_t^i(\underbrace{\mathbf{x}_t^i}_{\text{state}}, \underbrace{\mathbf{u}_t^i}_{\text{control}}, \underbrace{\mathbf{w}_{t+1}}_{\text{noise}}) \right]$$

Constraints:


- **dynamics:**
 $\mathbf{x}_{t+1} = \mathbf{f}_t(\mathbf{x}_t, \mathbf{u}_t, \mathbf{w}_{t+1}),$
- **nonanticipativity:**
 $\mathbf{u}_t \preceq \mathcal{F}_t,$
- **spatial coupling:**
 $\mathbf{z}_t^{i+1} = \mathbf{g}_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}^i).$



Outline


- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
 - From deterministic to stochastic multistage optimization
 - Decompositions methods
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

Couplings for Stochastic Problems



$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$


Couplings for Stochastic Problems: in Time



$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

Couplings for Stochastic Problems: in Uncertainty




$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\xi_1, \dots, \xi_t)$$

Couplings for Stochastic Problems: in Space




$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\xi_1, \dots, \xi_t)$$

$$\sum_i \Theta_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i) = 0$$

Couplings for Stochastic Problems: a Complex Problem




$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\xi_1, \dots, \xi_t)$$

$$\sum_i \Theta_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i) = 0$$

Decompositions for Stochastic Problems: in Time



$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$


$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\xi_1, \dots, \xi_t)$$

$$\sum_i \Theta_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i) = 0$$

Dynamic Programming
Bellman (56)

Decompositions for Stochastic Problems: in Uncertainty



$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \boldsymbol{\xi}_{t+1})$$


$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \boldsymbol{\xi}_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\boldsymbol{\xi}_1, \dots, \boldsymbol{\xi}_t)$$

$$\sum_i \Theta_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i) = 0$$

Progressive Hedging
Rockafellar - Wets (91)

Decompositions for Stochastic Problems: in Space



$$\min \sum_{\omega} \sum_i \sum_t \pi_{\omega} L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\text{s.t. } \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \xi_{t+1})$$

$$\mathbf{u}_t^i \preceq \mathcal{F}_t = \sigma(\xi_1, \dots, \xi_t)$$

$$\sum_i \Theta_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i) = 0$$

Dual Approximate
Dynamic Programming

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
 - Dynamic Programming Principle
 - Curses of Dimensionality
 - SDDP
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

Stochastic Controlled Dynamic System

A stochastic controlled dynamic system is defined by its **dynamic**

$$\mathbf{x}_{t+1} = f_t(\mathbf{x}_t, \mathbf{u}_t, \xi_{t+1})$$

and initial state

$$\mathbf{x}_0 = x_0$$

The variables

- \mathbf{x}_t is the **state** of the system,
- \mathbf{u}_t is the **control** applied to the system at time t ,
- ξ_t is an exogeneous noise.

Examples

- Stock of water in a dam:
 - x_t is the amount of water in the dam at time t ,
 - u_t is the amount of water turbined at time t ,
 - ξ_t is the inflow of water at time t .
- Boat in the ocean:
 - x_t is the position of the boat at time t ,
 - u_t is the direction and speed chosen at time t ,
 - ξ_t is the wind and current at time t .
- Subway network:
 - x_t is the position and speed of each train at time t ,
 - u_t is the acceleration chosen at time t ,
 - ξ_t is the delay due to passengers and incident on the network at time t .

Optimization Problem

We want to solve the following optimization problem

$$\min \quad \mathbb{E} \left[\sum_{t=0}^{T-1} L_t(\mathbf{x}_t, \mathbf{u}_t, \boldsymbol{\xi}_{t+1}) + K(\mathbf{x}_T) \right] \quad (1a)$$

$$\text{s.t.} \quad \mathbf{x}_{t+1} = f_t(\mathbf{x}_t, \mathbf{u}_t, \boldsymbol{\xi}_{t+1}), \quad \mathbf{x}_0 = \mathbf{x}_0 \quad (1b)$$

$$\mathbf{u}_t \in U_t(\mathbf{x}_t) \quad (1c)$$

$$\sigma(\mathbf{u}_t) \subset \mathcal{F}_t := \sigma(\boldsymbol{\xi}_0, \dots, \boldsymbol{\xi}_t) \quad (1d)$$

Where

- constraint (1b) is the dynamic of the system ;
- constraint (1c) refer to the constraint on the controls;
- constraint (1d) is the information constraint : \mathbf{u}_t is chosen knowing the realisation of the noises $\boldsymbol{\xi}_0, \dots, \boldsymbol{\xi}_t$ but without knowing the realisation of the noises $\boldsymbol{\xi}_{t+1}, \dots, \boldsymbol{\xi}_{T-1}$.

Dynamic Programming Principle

Theorem

Assume that the noises ξ_t are *independent* and *exogeneous*. Then, there exists an optimal solution, called a *strategy*, of the form

$$\mathbf{u}_t = \pi_t(\mathbf{x}_t).$$

We have

$$\pi_t(\mathbf{x}) \in \arg \min_{u \in U_t(\mathbf{x})} \mathbb{E} \left[\underbrace{L_t(\mathbf{x}, u, \xi_{t+1})}_{\text{current cost}} + \underbrace{V_{t+1} \circ f_t(\mathbf{x}, u, \xi_{t+1})}_{\text{future costs}} \right],$$

where (Dynamic Programming Equation)

$$\begin{cases} V_T(\mathbf{x}) = K(\mathbf{x}) \\ V_t(\mathbf{x}) = \min_{u \in U_t(\mathbf{x})} \mathbb{E} \left[L_t(\mathbf{x}, u, \xi_{t+1}) + \underbrace{V_{t+1} \circ f_t(\mathbf{x}, u, \xi_{t+1})}_{\text{"X}_{t+1}} \right] \end{cases}$$

Dynamic Programming Principle

Theorem

Assume that the noises ξ_t are *independent* and *exogeneous*. Then, there exists an optimal solution, called a *strategy*, of the form $\mathbf{u}_t = \pi_t(\mathbf{x}_t)$.

We have

$$\pi_t(\mathbf{x}) \in \arg \min_{u \in U_t(\mathbf{x})} \mathbb{E} \left[\underbrace{L_t(\mathbf{x}, u, \xi_{t+1})}_{\text{current cost}} + \underbrace{V_{t+1} \circ f_t(\mathbf{x}, u, \xi_{t+1})}_{\text{future costs}} \right],$$

where (Dynamic Programming Equation)

$$\begin{cases} V_T(\mathbf{x}) = K(\mathbf{x}) \\ V_t(\mathbf{x}) = \min_{u \in U_t(\mathbf{x})} \mathbb{E} \left[L_t(\mathbf{x}, u, \xi_{t+1}) + \underbrace{V_{t+1} \circ f_t(\mathbf{x}, u, \xi_{t+1})}_{\text{"X}_{t+1}} \right] \end{cases}$$

Interpretation of Bellman Value

The Bellman's value function $V_{t_0}(x)$ can be interpreted as the value of the problem starting at time t_0 from the state x . More precisely we have

$$\begin{aligned}
 V_{t_0}(x) = \min & \quad \mathbb{E} \left[\sum_{t=t_0}^{T-1} L_t(x_t, u_t, \xi_{t+1}) + K(x_T) \right] \\
 \text{s.t.} & \quad x_{t+1} = f_t(x_t, u_t, \xi_{t+1}), \quad x_{t_0} = x \\
 & \quad u_t \in U_t(x_t) \\
 & \quad \sigma(u_t) \subset \sigma(\xi_0, \dots, \xi_t)
 \end{aligned}$$

Information structure

In Problem (1), constraint (1d) is the information constraint.
There are different possible information structure.

- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_0$, the problem is **open-loop**, as the controls are chosen without knowledge of the realisation of any noise.
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_t$, the problem is said to be in **decision-hazard** structure as decision \mathbf{u}_t is chosen without knowing ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{t+1}$, the problem is said to be in **hazard-decision** structure as decision \mathbf{u}_t is chosen with knowledge of ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{T-1}$, the problem is said to be **anticipative** as decision \mathbf{u}_t is chosen with knowledge of all the noises.

Information structure

In Problem (1), constraint (1d) is the information constraint.

There are different possible information structure.

- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_0$, the problem is **open-loop**, as the controls are chosen without knowledge of the realisation of any noise.
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_t$, the problem is said to be in **decision-hazard** structure as decision \mathbf{u}_t is chosen without knowing ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{t+1}$, the problem is said to be in **hazard-decision** structure as decision \mathbf{u}_t is chosen with knowledge of ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{T-1}$, the problem is said to be **anticipative** as decision \mathbf{u}_t is chosen with knowledge of all the noises.

Information structure

In Problem (1), constraint (1d) is the information constraint.

There are different possible information structure.

- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_0$, the problem is **open-loop**, as the controls are chosen without knowledge of the realisation of any noise.
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_t$, the problem is said to be in **decision-hazard** structure as decision \mathbf{u}_t is chosen without knowing ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{t+1}$, the problem is said to be in **hazard-decision** structure as decision \mathbf{u}_t is chosen with knowledge of ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{T-1}$, the problem is said to be **anticipative** as decision \mathbf{u}_t is chosen with knowledge of all the noises.

Information structure

In Problem (1), constraint (1d) is the information constraint.
There are different possible information structure.

- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_0$, the problem is **open-loop**, as the controls are chosen without knowledge of the realisation of any noise.
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_t$, the problem is said to be in **decision-hazard** structure as decision \mathbf{u}_t is chosen without knowing ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{t+1}$, the problem is said to be in **hazard-decision** structure as decision \mathbf{u}_t is chosen with knowledge of ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{T-1}$, the problem is said to be **anticipative** as decision \mathbf{u}_t is chosen with knowledge of all the noises.

Information structure

In Problem (1), constraint (1d) is the information constraint.

There are different possible information structure.

- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_0$, the problem is **open-loop**, as the controls are chosen without knowledge of the realisation of any noise.
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_t$, the problem is said to be in **decision-hazard** structure as decision \mathbf{u}_t is chosen without knowing ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{t+1}$, the problem is said to be in **hazard-decision** structure as decision \mathbf{u}_t is chosen with knowledge of ξ_{t+1} .
- If constraint (1d) reads $\sigma(\mathbf{u}_t) \subset \mathcal{F}_{T-1}$, the problem is said to be **anticipative** as decision \mathbf{u}_t is chosen with knowledge of all the noises.

Information structure



Be careful when modeling your information structure:

- **Open-loop** information structure might happen in practice (you have to decide on a planning and stick to it). If the problem does not require an open-loop solution then it might be largely suboptimal (imagine driving a car eyes closed...). In any case it yields an **upper-bound** of the problem.
- In some cases decision-hazard and hazard-decision are both approximation of the reality. Hazard-decision yield a lower value than decision-hazard.
- **Anticipative structure** is never an accurate modelization of the reality. However it can yield a **lower-bound** of your optimization problem relying on deterministic optimization and Monte-Carlo.

Information structure



Be careful when modeling your information structure:

- **Open-loop** information structure might happen in practice (you have to decide on a planning and stick to it). If the problem does not require an open-loop solution then it might be largely suboptimal (imagine driving a car eyes closed...). In any case it yields an **upper-bound** of the problem.
- In some cases decision-hazard and hazard-decision are both approximation of the reality. Hazard-decision yield a lower value then decision-hazard.
- **Anticipative structure** is never an accurate modelization of the reality. However it can yield a **lower-bound** of your optimization problem relying on deterministic optimization and Monte-Carlo.

Information structure



Be careful when modeling your information structure:

- **Open-loop** information structure might happen in practice (you have to decide on a planning and stick to it). If the problem does not require an open-loop solution then it might be largely suboptimal (imagine driving a car eyes closed...). In any case it yields an **upper-bound** of the problem.
- In some cases decision-hazard and hazard-decision are both approximation of the reality. Hazard-decision yield a lower value than decision-hazard.
- **Anticipative structure** is never an accurate modelization of the reality. However it can yield a **lower-bound** of your optimization problem relying on deterministic optimization and Monte-Carlo.

Non-independence of noise in DP

- The Dynamic Programming equation requires only the **time-independence of noises**.
- This can be relaxed if we consider an **extended state**.
- Consider a dynamic system driven by an equation

$$\mathbf{y}_{t+1} = f_t(\mathbf{x}_t, \mathbf{u}_t, \varepsilon_{t+1})$$

where the random noise ε_t is an AR1 process :

$\varepsilon_t = \alpha_t \varepsilon_{t-1} + \beta_t + \xi_t$, where $\{\xi_t\}_{t \in \mathbb{Z}}$ are independent.

- Then \mathbf{y}_t is called the **physical state** of the system and DP can be used with the **information state** $\mathbf{x}_t = (\mathbf{y}_t, \varepsilon_{t-1})$.
- Generically speaking, if the noise ξ_t is exogeneous (not affected by decisions \mathbf{u}_t), then we can always apply Dynamic Programming with the state

$$(\mathbf{x}_t, \xi_1, \dots, \xi_t).$$

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
 - Dynamic Programming Principle
 - Curses of Dimensionality
 - SDDP
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?

Dynamic Programming Algorithm - Discrete Case

Data: Problem parameters

Result: optimal control and value;

$V_T \equiv K$;

for $t : T - 1 \rightarrow 0$ **do**

for $x \in \mathbb{X}_t$ **do**

$$V_t(x) = \min_{u \in U_t(x)} \mathbb{E} \left(L_t(x, u, \xi_{t+1}) + V_t(f_t(x, u, \xi_{t+1})) \right)$$

end

end

Algorithm 1: We iterate over the discretized state space

Dynamic Programming Algorithm - Discrete Case

Data: Problem parameters

Result: optimal control and value;

$V_T \equiv K$;

for $t : T - 1 \rightarrow 0$ **do**

for $x \in \mathbb{X}_t$ **do**

$V_t(x) = \infty$;

for $u \in U_t(x)$ **do**

$v_u = \mathbb{E} \left(L_t(x, u, \xi_{t+1}) + V_t(f_t(x, u, \xi_{t+1})) \right)$ **if**

$v_u < V_t(x)$ **then**

$V_t(x) = v_u$;

$\pi_t(x) = u$;

end

end

end

end

Dynamic Programming Algorithm - Discrete Case

Data: Problem parameters

Result: optimal control and value;

$V_T \equiv K$;

for $t : T - 1 \rightarrow 0$ **do**

for $x \in \mathbb{X}_t$ **do**

$V_t(x) = \infty$;

for $u \in U_t(x)$ **do**

$v_u = 0$;

for $\xi \in \Xi_t$ **do**

$v_u = v_u + \mathbb{P}\{\xi = \xi\} (L_t(x, u, \xi) + V_{t+1}(f_t(x, u, \xi)))$;

end

if $v_u < V_t(x)$ **then**

$V_t(x) = v_u$;

$\pi_t(x) = u$;

end

end

3 curses of dimensionality

Complexity = $O(T \times |\mathbb{X}_t| \times |\mathbb{U}_t| \times |\Xi_t|)$ is **linear** in the number of time steps, but we have **3 curses of dimensionality** :

- ① **State**. Complexity is exponential in the dimension of \mathbb{X}_t
e.g. 3 independent states each taking 10 values leads to a loop over 1000 points.
- ② **Decision**. Complexity is exponential in the dimension of \mathbb{U}_t .
 ↳ due to exhaustive minimization of inner problem.
 Can be accelerated using faster method (e.g. MILP solver).
- ③ **Alea**. Complexity is exponential in the dimension of Ξ_t .
 ↳ due to expectation computation.
 Can be accelerated through Monte-Carlo approximation (still at least 1000 points)

In practice DP is not used for state of dimension more than 5.

3 curses of dimensionality

Complexity = $O(T \times |\mathbb{X}_t| \times |\mathbb{U}_t| \times |\Xi_t|)$ is **linear** in the number of time steps, but we have **3 curses of dimensionality** :

- ① **State**. Complexity is exponential in the dimension of \mathbb{X}_t
e.g. 3 independent states each taking 10 values leads to a loop over 1000 points.
- ② **Decision**. Complexity is exponential in the dimension of \mathbb{U}_t .
 ↪ due to exhaustive minimization of inner problem.
 Can be accelerated using faster method (e.g. MILP solver).
- ③ **Alea**. Complexity is exponential in the dimension of Ξ_t .
 ↪ due to expectation computation.
 Can be accelerated through Monte-Carlo approximation (still at least 1000 points)

In practice DP is not used for state of dimension more than 5.

Illustrating the curse of dimensionality

We are in dimension 5 (not so high in the world of big data!) with 52 timesteps (common in energy management) plus 5 controls and 5 independent noises.

- 1 We discretize each state's dimension in 100 values:

$$|\mathbb{X}_t| = 100^5 = 10^{10}$$

- 2 We discretize each control's dimension in 100 values:

$$|\mathbb{U}_t| = 100^5 = 10^{10}$$

- 3 We use optimal quantization to discretize the noises' space in 10 values: $|\Xi_t| = 10$

Number of flops: $\mathcal{O}(52 \times 10^{10} \times 10^{10} \times 10) \approx \mathcal{O}(10^{23})$.

In the TOP500, the best computer computes 10^{17} flops/s.

Even with the most powerful computer, it takes at least **12 days** to solve this problem.

Numerical considerations

- The DP equation holds in (almost) any case.
- The algorithm shown before compute a **look-up table** of control for every possible state **offline**. It is impossible to do if the state is (partly) continuous.
- Alternatively, we can focus on computing **offline** an **approximation of the value function** V_t and derive the optimal control **online** by solving a one-step problem, solved only at the current state :

$$\pi_t(x) \in \arg \min_{u \in U_t(x)} \mathbb{E} \left[L_t(x, u, \xi_{t+1}) + V_{t+1} \circ f_t(x, u, \xi_{t+1}) \right]$$

- The field of Approximate DP gives methods for computing those approximate value function.
- The simpler one consisting in discretizing the state, and then interpolating the value function.

Numerical considerations

- The DP equation holds in (almost) any case.
- The algorithm shown before compute a **look-up table** of control for every possible state **offline**. It is impossible to do if the state is (partly) continuous.
- Alternatively, we can focus on computing **offline** an **approximation of the value function** V_t and derive the optimal control **online** by solving a one-step problem, solved only at the current state :

$$\pi_t(x) \in \arg \min_{u \in U_t(x)} \mathbb{E} \left[L_t(x, u, \xi_{t+1}) + V_{t+1} \circ f_t(x, u, \xi_{t+1}) \right]$$

- The field of Approximate DP gives methods for computing those approximate value function.
- The simpler one consisting in discretizing the state, and then interpolating the value function.

Numerical considerations

- The DP equation holds in (almost) any case.
- The algorithm shown before compute a **look-up table** of control for every possible state **offline**. It is impossible to do if the state is (partly) continuous.
- Alternatively, we can focus on computing **offline** an **approximation of the value function** V_t and derive the optimal control **online** by solving a one-step problem, solved only at the current state :

$$\pi_t(x) \in \arg \min_{u \in U_t(x)} \mathbb{E} \left[L_t(x, u, \xi_{t+1}) + V_{t+1} \circ f_t(x, u, \xi_{t+1}) \right]$$


- The field of Approximate DP gives methods for computing those approximate value function.
- The simpler one consisting in discretizing the state, and then interpolating the value function.


Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
 - Dynamic Programming Principle
 - Curses of Dimensionality
 - SDDP
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?


Dynamic Programming : continuous and convex case

- If the problem has continuous states and control the classical approach consists in **discretizing**.
- With further assumption on the problem (convexity, linearity) we can look at a **dual approach**:
 - Instead of discretizing and interpolating the Bellman function we choose to do a polyhedral approximation.
 - Indeed we choose a “smart state” in which we compute the value of the function and its marginal value (tangent).
 - Knowing that the problem is convex and using the power of linear solver we can efficiently approximate the Bellman function.
- This approach is known as **SDDP** in the electricity community and widely used in practice.







SDDP



SDDP






Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
 - Intuition
 - Stochastic Spatial Decomposition
 - DADP
- 5 Should I use SP or DP ?


Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $u_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $u_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $\mathbf{u}_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $\mathbf{u}_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $\mathbf{u}_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $\mathbf{u}_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...




Intuition of Spatial Decomposition

- Satisfy a demand (over T time step) with N units of production at minimal cost.
- **Price decomposition:**
 - the coordinator sets a sequence of price λ_t ,
 - the units send their production planning $u_t^{(i)}$,
 - the coordinator compares total production and demand and updates the price,
 - and so on...



Application to dam management



Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
 - Intuition
 - Stochastic Spatial Decomposition
 - DADP
- 5 Should I use SP or DP ?

Primal Problem

$$\begin{aligned}
 \min_{\mathbf{x}, \mathbf{u}} \quad & \sum_{i=1}^N \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + K^i(\mathbf{x}_T^i) \right] \\
 \forall i, \quad & \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i, \\
 \forall i, \quad & \mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t, \\
 \sum_{i=1}^N \quad & \theta_t^i(\mathbf{u}_t^i) = 0
 \end{aligned}$$

Solvable by DP with state $(\mathbf{x}_1, \dots, \mathbf{x}_N)$

Primal Problem

$$\begin{aligned}
 \min_{\mathbf{x}, \mathbf{u}} \quad & \sum_{i=1}^N \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + K^i(\mathbf{x}_T^i) \right] \\
 \forall i, \quad & \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i, \\
 \forall i, \quad & \mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t, \\
 \sum_{i=1}^N \theta_t^i(\mathbf{u}_t^i) &= 0 \quad \rightsquigarrow \boldsymbol{\lambda}_t \text{ multiplier}
 \end{aligned}$$

Solvable by DP with state $(\mathbf{x}_1, \dots, \mathbf{x}_N)$

Primal Problem with Dualized Constraint

$$\min_{\mathbf{x}, \mathbf{u}} \max_{\lambda} \sum_{i=1}^N \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + \langle \boldsymbol{\lambda}_t, \boldsymbol{\theta}_t^i(\mathbf{u}_t^i) \rangle + K^i(\mathbf{x}_T^i) \right]$$

$$\forall i, \quad \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i,$$

$$\forall i, \quad \mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t,$$

Coupling constraint dualized \implies all constraints are unit by unit

Dual Problem

$$\max_{\lambda} \min_{\mathbf{x}, \mathbf{u}} \sum_{i=1}^N \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + \langle \lambda_t, \theta_t^i(\mathbf{u}_t^i) \rangle + K^i(\mathbf{x}_T^i) \right]$$

$$\forall i, \quad \mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i,$$

$$\forall i, \quad \mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t,$$

Exchange operator **min** and **max** to obtain a new problem

Decomposed Dual Problem

$$\max_{\lambda} \sum_{i=1}^N \min_{\mathbf{x}^i, \mathbf{u}^i} \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + \langle \boldsymbol{\lambda}_t, \theta_t^i(\mathbf{u}_t^i) \rangle + K^i(\mathbf{x}_T^i) \right]$$

$$\mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i,$$

$$\mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t,$$

For a given λ , minimum of sum is sum of minima

Inner Minimization Problem

$$\min_{\mathbf{x}^i, \mathbf{u}^i} \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + \langle \boldsymbol{\lambda}_t, \boldsymbol{\theta}_t^i(\mathbf{u}_t^i) \rangle + K^i(\mathbf{x}_T^i) \right]$$

$$\mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i,$$

$$\mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t,$$

We have N smaller subproblems. Can they be solved by DP ?

Inner Minimization Problem

$$\min_{\mathbf{x}^i, \mathbf{u}^i} \mathbb{E} \left[\sum_{t=0}^T L_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}) + \langle \boldsymbol{\lambda}_t, \theta_t^i(\mathbf{u}_t^i) \rangle + K^i(\mathbf{x}_T^i) \right]$$

$$\mathbf{x}_{t+1}^i = f_t^i(\mathbf{x}_t^i, \mathbf{u}_t^i, \mathbf{w}_{t+1}), \quad \mathbf{x}_0^i = \mathbf{x}_0^i,$$

$$\mathbf{u}_t^i \in \mathcal{U}_{t,i}^{ad}, \quad \mathbf{u}_t^i \preceq \mathcal{F}_t,$$

No : $\boldsymbol{\lambda}$ is a time-dependent noise \rightsquigarrow state $(\mathbf{w}_1, \dots, \mathbf{w}_t)$

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
 - Intuition
 - Stochastic Spatial Decomposition
 - DADP
- 5 Should I use SP or DP ?

Dual approximation as constraint relaxation

The original problem is (abstract form)

$$\begin{aligned} \min_{\mathbf{u} \in \mathcal{U}} \quad & J(\mathbf{u}) \\ \text{s.t.} \quad & \Theta(\mathbf{u}) = 0 \end{aligned}$$

written as

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \lambda, \Theta(\mathbf{u}) \rangle]$$

Substituting λ by $\mathbb{E}(\lambda | \mathbf{y})$ gives

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \mathbb{E}(\lambda | \mathbf{y}), \Theta(\mathbf{u}) \rangle]$$

Dual approximation as constraint relaxation

The original problem is (abstract form)

$$\begin{aligned} \min_{\mathbf{u} \in \mathcal{U}} \quad & J(\mathbf{u}) \\ \text{s.t.} \quad & \Theta(\mathbf{u}) = 0 \end{aligned}$$

written as

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \lambda, \Theta(\mathbf{u}) \rangle]$$

Substituting λ by $\mathbb{E}(\lambda | \mathbf{y})$ gives

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \lambda, \mathbb{E}(\Theta(\mathbf{u}) | \mathbf{y}) \rangle]$$

Dual approximation as constraint relaxation

The original problem is (abstract form)

$$\begin{aligned} \min_{\mathbf{u} \in \mathcal{U}} \quad & J(\mathbf{u}) \\ \text{s.t.} \quad & \Theta(\mathbf{u}) = 0 \end{aligned}$$

written as

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \lambda, \Theta(\mathbf{u}) \rangle]$$


Substituting λ by $\mathbb{E}(\lambda | \mathbf{y})$ gives

$$\min_{\mathbf{u} \in \mathcal{U}} \max_{\lambda} J(\mathbf{u}) + \mathbb{E}[\langle \lambda, \mathbb{E}(\Theta(\mathbf{u}) | \mathbf{y}) \rangle]$$

equivalent to


$$\begin{aligned} \min_{\mathbf{u} \in \mathcal{U}} \quad & J(\mathbf{u}) \\ \text{s.t.} \quad & \mathbb{E}(\Theta(\mathbf{u}) | \mathbf{y}) = 0 \end{aligned}$$

Stochastic spatial decomposition scheme




Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$




Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$




Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$




Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$




Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$





Main idea of DADP:

$$\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$$



Main idea of DADP: $\lambda_t \rightsquigarrow \mu_t := \mathbb{E}(\lambda_t | \mathbf{y}_t)$



Main problems:

- Subproblems not easily solvable by DP
- $\lambda^{(k)}$ live in a huge space

Advantages:

- Subproblems solvable by DP with state $(\mathbf{x}_t^i, \mathbf{y}_t)$
- $\mu^{(k)}$ live in a smaller space

Three Interpretations of DADP

- DADP as an approximation of the optimal multiplier

$$\lambda_t \quad \rightsquigarrow \quad \mathbb{E}(\lambda_t | \mathbf{y}_t) .$$

- DADP as a decision-rule approach in the dual

$$\max_{\lambda} \min_{\mathbf{u}} L(\lambda, \mathbf{u}) \quad \rightsquigarrow \quad \max_{\lambda_t \preceq \mathbf{y}_t} \min_{\mathbf{u}} L(\lambda, \mathbf{u}) .$$

- DADP as a constraint relaxation in the primal

$$\sum_{i=1}^n \theta_t^i(\mathbf{u}_t^i) = 0 \quad \rightsquigarrow \quad \mathbb{E} \left(\sum_{i=1}^n \theta_t^i(\mathbf{u}_t^i) \middle| \mathbf{y}_t \right) = 0 .$$

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?
 - Numerical limits of SP and SDP
 - What if my problem is...
 - Conclusion

Numerical Limits of SP and SDP

Stochastic Programming:

- $\mathcal{O}(n_u n_\xi^T)$ variables.
- In practice 2 or 3 information steps are the limit.
- Hence we need to approximate the information structure.
- Often rely on linearity of the costs and dynamic function.
- Mainly return an estimation of the optimal cost and the first step control.

Dynamic Programming:

- Requires Markovian assumption.
- Number of elementary operation is $\mathcal{O}(T|\mathbb{X}_t|^{n_x}|\mathbb{U}_t|^{n_u}|\Xi_t|^{n_\xi})$.
- Limited to dimension 4 or 5.
- Can use convexity and linearity assumption to increase dimension.
- Return value function, that can be used to derive optimal policy.

Numerical Limits Illustration

- Dam example in SP approach
 - 5 interconnected dams
 - 5 controls per timesteps
 - 52 timesteps (one per week, over one year)
 - $n_\xi = 10$ noises for each timestep

↪ 10^{52} scenarios, and $\approx 5 \cdot 10^{52}$ constraints in the extensive formulation. (10^{24} bytes on internet).
- Dam example in DP approach
 - Each state discretized in 100 values: $|\mathbb{X}_t|^{n_x} = 100^5 = 10^{10}$
 - Each control discretized in 100 values: $|\mathbb{U}_t|^{n_u} = 100^5 = 10^{10}$
 - We use optimal quantization to discretize the noises' space in 10 values: $|\Xi_t| = 10$

Number of flops: $\mathcal{O}(52 \times 10^{10} \times 10^{10} \times 10) \approx \mathcal{O}(10^{23})$.

↪ around 12 days on best TOP500 computer.

What if my problem is...

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?
 - Numerical limits of SP and SDP
 - What if my problem is...
 - Conclusion

What if my problem is...

An investment problem for a supply network : where to open new production centers while not knowing yet the demand.

- Two type of control : where to open and how to operate.
- I am mainly interested in the question of “where to open”.
- State dimension is important (number of possible units), demand is correlated in time.

⇒ Stochastic Programming approach is natural here. First step decision : where to open, second step : operation decision. The modelization is optimistic as it assume perfect knowledge of demand for the operational problem (i.e. once investment is decided).

What if my problem is...

An investment problem for a supply network : where to open new production centers while not knowing yet the demand.

- Two type of control : where to open and how to operate.
- I am mainly interested in the question of “where to open”.
- State dimension is important (number of possible units), demand is correlated in time.

⇒ Stochastic Programming approach is natural here. First step decision : where to open, second step : operation decision. The modelization is optimistic as it assume perfect knowledge of demand for the operational problem (i.e. once investment is decided).

What if my problem is...

What if my problem is...



A weekly stock management problem over a year, with random demand and known production costs.

- 52 time-steps, with more or less independent noise.
- Each time-step yield new information
- natural state (the stock)

⇒ Dynamic Programming approach is natural here.

What if my problem is...

What if my problem is...



A weekly stock management problem over a year, with random demand and known production costs.

- 52 time-steps, with more or less independent noise.
- Each time-step yield new information
- natural state (the stock)

⇒ Dynamic Programming approach is natural here.

What if my problem is...



A Unit Commitment Problem, where you have to decide at $t = 0$ which unit will be producing at which time during the next 24 hours, and then adjust to satisfy the actual demand.

- 48 time step with new correlated information at each step (demand, renewable energy, breakdown...)
- Decision at $t = 0$ are important, operational decision will be recomputed.
- Operational decision are time-correlated (ramping constraints).
- State dimension is high

⇒ Dynamic Programming approach requires physical (smaller state) and statistical (independent noise) approximations, Stochastic Programming requires informational approximation (knowing a breakdown far in advance). Hard choice, SP might be more appropriate.

What if my problem is...



A Unit Commitment Problem, where you have to decide at $t = 0$ which unit will be producing at which time during the next 24 hours, and then adjust to satisfy the actual demand.

- 48 time step with new correlated information at each step (demand, renewable energy, breakdown...)
- Decision at $t = 0$ are important, operational decision will be recomputed.
- Operational decision are time-correlated (ramping constraints).
- State dimension is high

⇒ Dynamic Programming approach requires physical (smaller state) and statistical (independent noise) approximations, Stochastic Programming requires informational approximation (knowing a breakdown far in advance). Hard choice, SP might be more appropriate.

What if my problem is...

IV

Long term energy investment problem like setting up a new line / a new production unit, in a region with huge hydroelectric stock (e.g. Brazil).

- 120 time-step, each with new information
- Some decisions at time $t = 0$ affect the whole problem, they are the one that interest us.
- Linear dynamic and costs
- Noise is time-correlated.

⇒ For the operational part Dynamic Programming (SDDP) is really adapted if we model the noise with AR process. SP requires a huge informational approximation.

What if my problem is...

IV

Long term energy investment problem like setting up a new line / a new production unit, in a region with huge hydroelectric stock (e.g. Brazil).

- 120 time-step, each with new information
- Some decisions at time $t = 0$ affect the whole problem, they are the one that interest us.
- Linear dynamic and costs
- Noise is time-correlated.

⇒ For the operational part Dynamic Programming (SDDP) is really adapted if we model the noise with AR process. SP requires a huge informational approximation.

Any Alternatives ?

If neither SP nor SDP is suited to your problem, here are a few pointer to heuristics that can help:

- Assume that the Bellman Value function is given as a linear combination of basis function and fit the coefficient (look toward **Approximate Dynamic Programming** field).
- Assume that you are anticipative, compute the first control, apply it (throwing all other controls), observe your current state and solve again (**Open Loop Feedback Control**).
- Assume that you have a two-stage problem, compute the first control, apply it (throwing all other controls), observe your current state and solve again (**Repeated Two-Stage Programming** approach).
- **Decompose** your problem (L-shaped method, Progressive Hedging, DADP...)
- ...

Outline

- 1 Dealing with Uncertainty
- 2 Decompositions of Multistage Stochastic Optimization
- 3 Stochastic Dynamic Programming
- 4 Spatial Decomposition
- 5 Should I use SP or DP ?
 - Numerical limits of SP and SDP
 - What if my problem is...
 - Conclusion

Conclusion

- Uncertain parameters requires careful manipulation
- Some questions has to be answered :
 - attitude toward risk
 - careful constraint formulation
 - information structure
- Numerically solving a stochastic problem require one of the two following assumption:
 - A small number of information steps : Stochastic Programming approach.
 - Time independence of noises : Dynamic Programming approach.
- Decomposition is tricky in stochastic setting, but can be very efficient.
- Don't forget to define a simulator to evaluate any solution you obtain from any approach.

